

Alphabetisches Register.

Seite	Seite
A.	
<i>Abraxas grossulariata</i>	169
<i>Aciptilus paludum</i>	124
<i>Acrolepia assetella</i>	174
<i>Aeronycta alni</i> 300, <i>auricoma</i> 135, <i>leporina</i> 300, var. 27, <i>ligustri</i>	300
<i>Adela albicinctella</i> 130, <i>con-</i> <i>gruella</i> 303, <i>degeerella</i> 283, <i>panicensis</i> 104, 130, <i>viridella</i> 283	
<i>Agdistis tamaricis</i>	125
<i>Aglia tau</i>	298
<i>Agrotis speciosa</i> 326, <i>telifera</i> 177, <i>tritici</i> 169, <i>ypsilon</i>	177
<i>Akis italicica</i> 351, <i>punctata</i> ..	344
<i>Allantus dispar</i>	318
<i>Alnecita desmodactyla</i> , <i>dode-</i> <i>cadactyla</i>	124
<i>Amara crenata</i> 412, <i>fusca</i> 413, <i>indivisa</i>	137
<i>Amycterus mirabilis</i> 398, 401, <i>mirus</i>	398
<i>Anarsia lineatella</i>	303
<i>Anchylopera comptana</i> , <i>fra-</i> <i>gariae</i>	178
<i>Andrena angustipes</i> , <i>convexiu-</i> <i>scula</i> 335, <i>distinguenda</i> 256, <i>fasciata</i> , <i>helvola</i>	335
<i>Anerastia lotella</i>	161
<i>Anthaxia manca</i>	338
<i>Anthomyia funesta</i>	161
<i>Apatura griseldis</i>	244
<i>Arctia aulica</i>	298
<i>Argyresthia albistria</i> , <i>brocke-</i> <i>lla</i> 303, <i>conjugella</i> 128, <i>glabratella</i> 303, <i>sorbiella</i> 128, <i>submontana</i>	112
<i>Arhopala araxes</i> , <i>phryxus</i> ..	243
<i>Arrhynchus</i> 291, <i>vittatus</i> ..	292
<i>Aspilates gilvaria</i>	317
B.	
<i>Asteroscopus nubeculosa</i>	301
<i>Atemelia torquatella</i>	128
<i>Atenochus semipunctatus</i>	349
<i>Athaliae</i> sp.	395
<i>Attagenus verbasci</i>	345
<i>Attelabus euculionoides</i> ..	205
C.	
<i>Callimorpha hera</i>	253
<i>Calosoma rapax</i> , <i>sycophanta</i> 191	
<i>Campoplex</i>	159
<i>Carabus auratus</i> 195, <i>auro-</i> <i>nitens</i> 197, <i>cyanens</i> 284, <i>ni-</i> <i>tens</i> 194, <i>violaceus</i>	284
<i>Carpocapsa pomonella</i> 55, 171, <i>putaminana</i> 55, <i>Woeberiana</i> 171	
<i>Cerostoma lueella</i>	62
<i>Cethosia cydalina</i>	244
<i>Cetonia stictica</i>	348
<i>Chaerocampa erodus</i> ..	239

	Seite
Chauliodus chaerophyllellus	127
Cheimatobia boreata, brumata	169
Cheimatophila tortricella	283
Chelaria Hübnerella	303
Chimabacche phryganella	283
Chrysis minutula 254, Sausurei	253
Chrysomela fucata 137, Rossii	276
Cidaria Blomeri 328, inculataria	43
Claviger apenninus	338
Clythra taxicornis	345. 348
Colaenis Alcionea, Cillene	326
Coleophora Attalicella 77, binotatella 221, clypeiferella 221. 328, pratella 78, serenella 174, squalorella	328
Conchyliis ambiguella 170, Francillana	316
Coriscium sulphurellum	303
Cossus terebra	298
Crambus Zermattensis	101
Cryptoccephalus bidens 22. 268, cibratus 21. 268, interrupitus 268, Tappesii	270
Curculio mirabilis	400
Cymindis macularis	411
D.	
Dasytes algiricus	348
Depressaria amanticella 318, alpigena 105. 129, bupleurella 317, depressella, nervosa 173, senecionis, sileris	129
Dianthoecia capsincola, compacta, cucubali 169, Magnolii	406
Dichrorampha Harpeana	103
Diplosis equestris 414, pini	419
Doleschalia australis	244
Doryphora 10lineata	176
Dyschorista suspecta	301
Dytiscus marginalis	42
E.	
Earias vernana	53
Elachista elegans 127, Heinemanni 114, Juliensis 115, pomerana 117, rhynchosporrella 127, sublimis	116
Elater Costeri	270
Enoplium serraticorne	345
Epeoloides coecutiens	257
Epialus humuli	218
Epinephele Janira	135

	Seite
Erebus Marquesi	290
Eriocampa ovata, umbratica	393
Eristalis tenax	42
Euchromia formosa	237
Euclidia glyphica, mi	280
Eudemis botrana	178
Eugonia erosaria	136
Enpithecia austera 278, castigata 210, Cauchyata 211. 278, centaureata, debiliata 210, euphrasiata 211, extra-versaria 210, innotata 211, laquearia 207, linariata 210, merinata, perfidata 207, pimpinellata 317, plumbeolata, pumilata, pusillata 210, silenata 137, subciliata 210, subfulvata 211, togata 210, trisignaria 139, vulgata	210
G.	
Gamasus giganteus	24
Gelechia acupediella 106, albifrontella 129, cacuminum, disfluella 108, farinosae 128, ferrea 109, Hübneri 303, infernalis, instabilella 129, junctella, Knaggsiella, maclea 303, malvella 174, melaleucella 129, myricariella 107, petasitae, quadrilla 129, spurcella 219, tricolorella 303, tussilaginis 128, vepratella 64, vicinella	303
Glaukopis Letha	238
Glyptomerus etruscus	275
Gnophria rubricollis	284
Goniloba vulpecula	245
Gracilaria fidella 128, juglandella 56. 127, roscipennella	56
Grapholitha conterminana 60, Demarniana 302, funebrana, nebritana 171, neglectana 302, roseticolana 57. 315, sinuana 302, tenebrosana 171, Tiedemanniana 50, tineana 302, turbidana	302
II.	
Hadena connexa, scolopacina	300
Heliozela metallicella, resplendella 46, stanneella	44
Holopyga angustata, Jurinei	255
Homoeosoma nebulella	170
Hoplocampa crataegi	393

	Seite		Seite
Hybernia bajaria	169,	defo-	
liaria, leucophaearia	282	laria	
Hydroecia micacea	300		
Hylotoma atrata	383,	berberi-	
dis 382, ciliaris 383, clari-		pennis 382, cyaneo-crocea	
384, enodis 382, pagana,		rosae 384, saliceti 383, si-	
milis 384, ustulata, violacea,		milis 384, vulgaris	382
Hypochalcia melanella	316		
Hyponomeuta malinellus.			
padi, variabilis	172		
I.			
Ichneumon sp.	156		
L.			
Laverna vanella	127		
Leptalis hyposticta	241		
Libellula 4maculata	188		
Lichnoptera gulo, moesta	237		
Limacodes asella	298		
Limenitis populi, Sibylla	297		
Lina lapponica	136		
Liparis dispar	29, 167		
Lithocolletis alpina, cerasi-			
colella v. mahalebella, com-			
parella, quinqueguttella	126		
Lobesia botrana	171		
Lobophora carpinata, halte-			
rata	301		
Lophopteryx carmelita	299		
Luperus flavipes	345		
Lyda arvensis	384,	balteata,	
betulae, depressa 385, hypo-		trophica, nemoralis 384, sil-	
vatica 385, stellata 384, stra-		meneipes	385
Lysnetia prunifoliella var. pa-			
ditol	126		
Lyta vesicatoria	284		
M.			
Macrophya albicincta, eras-			
sula, dnoddecimpunctata 392.			
haematopus 391, melano-			
soma 392, punctum, quadri-			
maculata 391, ribis, rustica	392		
Mamestra oleracea, persica-			
riae	169		
Megatomia undata	305		
Micropteryx mansuetella	302		
Molorelfus umbellatarum	345		
N.			
Mossophadnus funerea, gaga-			
thina, micans, nigerrima	393		
Morpho Iphiclus	245		
Mycterus pulverulentus	348		
Myelois convolutella	170, 177		
O.			
Necrophorus chilensis	293		
Nematus ventralis	353		
Nemotois prodigellus	130		
Nepticula Freyella	125,	gemi-	
nella 123, myrtillella 126,		palustrella 122, pyri 123,	
rubivora 125, Schlechiella		121, sericepeza	125, 428
Netrocoryne repanda	245		
Niphona picticornis	349		
Noctua serici	327		
Nola confusalis	298		
Nomada fucata	335		
Nymphalis Moeris	245		
P.			
Ochsenheimeria vaccarella	302		
Oecophora auromaculata	110,	flavifrontella	303
Oeta compta, punctella	178		
Oiketicus Kirbyi	80		
Ornix interruptella, Pfaffen-			
zelleri	127		
R.			
Pachnobia leucographa, ru-			
briosa	300		
Pachyprotasis rapae, tenuis			
392, variegata	393		
Pancalia Latreillella	128		
Pararga Dejanira	298		
Pempelia grossulariae	177		
Penthina inundana, rufana			
302, vitivorana	178		
Percus Paykulli	274		
Perineura cylindrica, rubi	390		
Phalidura 399, rufolineata	402		
Phigalia pedaria	282		
Phryganea flavicornis	42		
Phthoroblastis Ochsenheime-			
riana	302		
Phytocicia cylindrica	317		
Phytomyza facialis	318		
Pieris brassicae	189,	Coronea	
?39, Periclea 242, Teutonia	239		
Pimelia bipunctata	347		
Platypteryx sicula	299		

Seite		Seite		
Platyptilus acanthodactylus, Bollii, cosmodact. var. sta- chydalis	125	T.		
Ploseria diversata	279	Tachyusa laesa.....	348	
Plutella geniatella	130	Taeniocampa populeti	300	
Poecilostoma impressa, obesa	391	Talaeporia alpestrella	130	
Pogonocherus hispidus	339	Taxonus agilis, coxalis, niti- dus	391	
Polymerius 293, marmoratus	295	Tenthredo ambigua 386, atra, ancupariae 385, Benthini, bacineta 389, bipunctula 390, chloros 387, colon 390, Coqueberti 386, coryli 390, dimidiata 387, dispar 386, explanata 388, fasciata 386, flavicornis 389, gynandro- morphia 390, histrio 387, ignobilis 386, intermedia 388, lateralis 385, leuco- stoma 389, livida 390, me- las, moniliata 386, nassata 387, obsoleta 389, olivacea 387, pallicornis 390, plebeja 386, punctulata, scalaris, scutellaris 387, Seesana 388, sordida, tesselata 386, viri- dis	387	
Polyommatus Phlaeas var. Schmidtii	297	Terpnomicta cararia	301	
Pontia crataegi	189	Thersites jacobaeus	292	
Proglochin 288, maculipennis	289	Thyris fenestrella	281	
Psyche gigantea 49. 80, via- drina	426	Tortrix bifasciana, cinnamo- meana, histriionana, pale- leana 302, Penziana 403, Pilleriana	170	
Pterophorus carduidactylus 179, lithodactylus 124, peri- scelidactylus	178	Trachys pygmaea	349	
Ptosima flavoguttata	349	Trifurcula immundella, palli- della	304	
S.				
Saturnia Cynthia 404, Rho- doessa, rubescens	253	Trochilium bembeciforme ..	298	
Satyrus Phaedra	297	V.		
Scarites Pyracmon	348	Vanessa cardui 189, caschi- rensis 251, F-album	297	
Sciara Thomae	190	X.		
Scoria dealbata	281	Xanthia citrago	301	
Selandria albomarginata 395, morio, serva, straminipes, virescens	394	Z.		
Solenobia triquetrella	32	Zanclognatha sp.	217	
Spilographa alternata	315	Zelleria saxifragae	128	
Stagmatophora albiapicella, Heydeniella	127	Zerene sylvata	301	
Stephensia Brunnichiella	303			
Strangalia armata, atra ..	349			
Strongylogaster cingulatus, linearis	391			
Syntomis Phegea	281			
Syrichthus malvae	280			
Swammerdamia alternans 113, Heroldella, oxyacanthella, pyrella, spinella	67			

(Ausgegeben Ende September 1871.)